



## AVAILABLE CONFIGURED COMPONENTS

HOUSINGS	PLUNGERS	RODS	"B" THREADS	"A" INSTALLED	BOOTS	CONNECTORS
D02210 Side Mount	F086833 3/8-16 Int. thrd.	F08693	3/8-16	3.68"	F10231 Boot Kit for Q type unit	
E05205 Base Mount		F08697	3/8-16	5.56"		
		F09005	3/8-16	3.15"		
		F09063	3/8-16	4.6"		
		F09230	3/8-16	3.03"		
		F09307	3/8-16	2.9"		
		F09426	3/8-16	4.5"		
		F09462	3/8-16	1.7"		
		F09467	3/8-16	3.5"		

AVAILABLE COILS WITH FORCE CHARACTERISTICS

VOLTS D.C.	COILS	OHM RATING	DUTY CYCLE	WATTS	FORCE @ 3"	FORCE @ 2.5"	FORCE @ 2"	FORCE @ 1"	FORCE @ .5"
12 v.	R04925	.19	10.5%	758	31 lb.	55 lb.	69 lb.	69 lb.	81 lb.
	R05511	.32	18%	450	21 lb.	36 lb.	50 lb.	55 lb.	69 lb.
24 v.	R04925	.19	2.6%	3032	102 lb.	105 lb.	105 lb.	105 lb.	105 lb.
	R05511	.32	4.5%	1800	80 lb.	120 lb.	120 lb.	110 lb.	120 lb.
	R04919	9.8	100%	64	3 lb.	5.5 lb.	8 lb.	16 lb.	25 lb.
108 v.	R04919	.19	6%	1296	62 lb.	99 lb.	100 lb.	97 lb.	110 lb.
	R05011	19.9	14%	583	28 lb.	49 lb.	61 lb.	63 lb.	78 lb.
	R05418	33.0	22%	353	20 lb.	37 lb.	50 lb.	55 lb.	70 lb.
	R05174	94.4	64.5%	124	5.7 lb.	11 lb.	16 lb.	26 lb.	37 lb.
216 v.	R04919	9.0	1.5%	5184	195 lb.	205 lb.	205 lb.	190 lb.	195 lb.
	R05011	19.9	3%	2333	110 lb.	140 lb.	140 lb.	135 lb.	145 lb.
	R05418	33.0	5.5%	1414	60 lb.	95 lb.	100 lb.	95 lb.	110 lb.
	R05174	94.4	16%	494	24 lb.	41 lb.	55 lb.	59 lb.	71 lb.